

Front of Yonge Township

Winter Maintenance Operations Schedule 2022

Front of Yonge Township Road Classification:

Class #3

Caintown Road, Cronk Woods Road.

Class #4

Junetown Road, Lake Street.

Class #5

Ballycanoe Road, Cedar Forest Park Road, Devil Door Road, E/Y Townline Road, East Townline Road, Graham Lake Road, Guild Road, Hendry Side Road, Marsh Road, Miller Drive, Old River Road, Orchard St., Park Lane, Peryl Road, Purvis Street, Sherwood Spring Road, Tedmar Drive,

Class #6

Catholic Church Road, Clow Court, Kimberly Crescent, Landing Road, Pond Road, 3rd Concession Road, White Acers Road, Jenkins Road, Eligh Road, Happy Green Acers Road, Park View.

As per Front of Yonge Township policy concerning “Winter Maintenance Operations”, the roadways within the Township will be serviced according to their “**Class Designation**” taken from the **Highway Traffic Act**.

Snow Accumulation on Roadways:

Table 1.1

Class	Response to Snow Accumulation		Surface Condition		
	Depth	Time	Lag Time	Desired Condition	Minimum Condition
3	8 cm	12 hours	18 hours	Bare	Centre/Track Bare
4	8 cm	16 hours	24 hours	Centre/Track Bare/ Snow Packed	Centre/Track Bare/ Snow Packed
5	10 cm	24 hours	24 hours	Snow Packed	Snow Packed
6	15 cm	24 hours	24 hours	Snow Packed	Snow Packed

Storm Conditions – Minimum Standard

The minimum standard for snow removal is to deploy resources as soon as practicable to clear snow accumulation after becoming aware that the snow accumulation is greater than the depth set out in the table above.

Once the snow accumulation has ended, if it is greater than the depth set out in the table above, the minimum standard is to clear the snow accumulation to a depth less than or equal to the depth set out in the table above and to 0.6 m inward from the edge of roadway on class 3 within the time, after becoming aware of the fact, set out in the table above. On class 4, 5 and 6 roads each with two lanes, if after the snow accumulation has ended, the snow accumulation is greater than the depth set out in the table above, the minimum standard is to clear the snow accumulation to a depth less than or equal to the depth set out in the table above and to a width of at least 5 meters, within the time, after becoming aware of the fact, set out in the table 1.1.

Icy Roadway Conditions:

Table 1.2

Class	Minimum Standard to Treat Icy Roads	Surface Condition	
		Desirable Lag Time	Ambient Speed
3	8 hours	12 hours	70 %
4	12 hours	12 hours	50 %
5	24 hours	24 hours	50 %
6	24 hours	24 hours	50 %

The minimum standard for treating icy roadways is to deploy resources as soon as practicable after becoming aware that the road was icy; and to treat the icy roadway within the time frame after becoming aware of the fact set out in the table 1.2.

Further Details for residents concerning the snow removal by-law are available from the Township Office.